Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	127	"375"/.ccls. and (symbol with conver$5) and (M$2ary and $3PSK) and modulat$3 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:35
L12	64	(bpsk with ($4ary or $3PSK)) with symbol with conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:38
L13	41	"375"/.ccls. and (bpsk with ($4ary or $3PSK)) with symbol with conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:38
S1	7	"6118825"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:37
S4	1	symbol adj1 conver$5 same (M$2ary and $3PSK)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:39
S5	34	symbol adj1 conver$5 and (M$2ary and $3PSK)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:40
S6	16	(symbol adj1 conver$5) and (M$2ary and $3PSK) and modulat$3 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:21
S7	177	(symbol with conver$5) and (M$2ary and $3PSK) and modulat$3 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:14
S8	85	(symbol with conver$5) and (M$2ary and $3PSK) and modulat$3 and interleav$3 and (data or digital or information) with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:14
S9	90	(symbol with conver$5) and (M$2ary and $3PSK) and modulat$3 and interleav$3 and (symbol or data or digital or information) with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:22

S10	1	(bpsk adj3 (m-ary or QPSK or 8PSK)) adj2 conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:26
S15	33	(bpsk with (m-ary or QPSK or 8PSK)) with symbol with conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:37
S16	64	(bpsk with (m-ary or $3PSK)) with symbol with conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:37
S18	58	(bpsk with (m-ary or $3PSK)) with symbol with (conver$5 or combin$3) and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:11
S19	30	(bpsk with (m-ary or $3PSK)) with cod$3 adj1 symbol and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:20
S24	1	bpsk adj1 conver$5 adj1 ($3psk or m$3ary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:25
S25	3	bpsk adj3 conver$5 adj3 ($3psk or m$3ary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:27
S27	96	bpsk with conver$5 adj3 ($3psk or m$3ary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:09
S28	13	"6192070"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:52
S31	1	bpsk with ($3psk or m$3ary) with interleav$3 with symbol adj1 conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:12
S32	2	bpsk with ($3psk or m$3ary) with symbol adj1 conver$5 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:14

S34	82	bpsk with ($3psk or m$3ary) and symbol adj1 conver$5 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:14
S35	3	bpsk with ($3psk or m$3ary) same symbol adj1 conver$5 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:15
S36	10	bpsk with ($3psk or m$3ary) same symbol adj1 conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:16
S37	1	bpsk with ($3psk or m$3ary) adj1 symbol adj1 conver$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:15
S39	8	(data or digital or signal or information) adj1 source with encod$3 with symbol and (BPSk with (Qpsk or m-ary)) with (conver$5 or combin$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:18
S40	177	(symbol with conver$5) and (M$2ary and $3PSK) and modulat$3 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:35
S41	90	(symbol with conver$5) and (M$2ary with $3PSK) and modulat$3 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:23
S42	20	(symbol with conver$5) and (M$2ary with BPSK) and modulat$3 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:23